

LAMPIRAN :

Uji Reabilitas

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pretest	28	100.0%	0	0.0%	28	100.0%

Descriptives

		Statistic	Std. Error
	Mean	77.61	.887
	95% Confidence Interval for Mean	Lower Bound 75.79	
		Upper Bound 79.43	
	5% Trimmed Mean	77.43	
	Median	77.50	
	Variance	22.025	
Pretest	Std. Deviation	4.693	
	Minimum	70	
	Maximum	89	
	Range	19	
	Interquartile Range	6	
	Skewness	.524	.441
	Kurtosis	-.017	.858


Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Pretest	.098	28	.200*	.970	28	.574

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Normal Q-Q Plot of Pretest



Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Posttest	28	100.0%	0	0.0%	28	100.0%

Descriptives

		Statistic	Std. Error
	Mean	51.89	.833
	95% Confidence Interval for Lower Bound	50.18	
	Mean Upper Bound	53.60	
	5% Trimmed Mean	51.95	
	Median	52.50	
	Variance	19.433	
Posttest	Std. Deviation	4.408	
	Minimum	44	
	Maximum	59	
	Range	15	
	Interquartile Range	6	
	Skewness	-.300	.441
	Kurtosis	-.776	.858


Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Posttest	.099	28	.200*	.952	28	.217

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Normal Q-Q Plot of Posttest



Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Skor Penurunan	28	100.0%	0	0.0%	28	100.0%

Descriptives

		Statistic	Std. Error
Skor Penurunan	Mean	25.71	.842
	95% Confidence Interval for Mean		
	Lower Bound	23.99	
	Upper Bound	27.44	
	5% Trimmed Mean	25.64	
	Median	26.00	
	Variance	19.841	
	Std. Deviation	4.454	
	Minimum	18	
	Maximum	35	
	Range	17	
	Interquartile Range	7	
	Skewness	.180	.441
	Kurtosis	-.488	.858


Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Skor Penurunan	.122	28	.200*	.972	28	.644

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Detrended Normal Q-Q Plot of Skor Penurunan



Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	Pre Test	77.61	28	4.693	.887
	Post Test	51.89	28	4.408	.833

Paired Samples Correlations

		N	Correlation	Sig.
Pair 1	Pre Test & Post Test	28	.522	.004

Paired Samples Test

		Paired Differences				t	df	Sig. (2-tailed)	
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower				Upper
Pair 1	Pre Test - Post Test	25.714	4.454	.842	23.987	27.442	30.547	27	.000

Hipotesis

Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	Pre Test	77.61	28	4.693	.887
	Post Test	51.89	28	4.408	.833

Paired Samples Correlations

		N	Correlation	Sig.
Pair 1	Pre Test & Post Test	28	.522	.004

```
T-TEST GROUPS=Skor(1 2)
/MISSING=ANALYSIS
/VARIABLES=Pre Post
/CRITERIA=CI(.95).
```